


Soil Nutrient Analysis Laboratory

Soil Nutrient Analysis Laboratory; 6 Sherman Place, Unit 5102, Storrs, CT 06269-5102 • Phone: 860-486-4274
Fax: 860-486-4562 Location: Union Cottage, Depot Campus, Mansfield

FERTILIZING HOUSEPLANTS

By Dawn Pettinelli, Manager, Soil Nutrient Analysis Laboratory

Through the process of photosynthesis, plants manufacture the sugars and carbohydrates needed for their growth and development. They require at least 16 elements to carry on this process. Plants obtain carbon, oxygen and hydrogen from air and water. Outdoor plants would obtain the other nutrients required for growth from the soil. Houseplants rely on us to supply these nutrients through the application of fertilizers. Underfertilized houseplants often exhibit symptoms of slow growth, weak stems, pale leaves and reduced flowering.



from what sources (chemical and/or organic) these nutrients are derived. If synthetic or chemical fertilizers contain trace elements, these too will be listed on the label. Trace elements or micronutrients are needed by plants in very small amounts and include iron, boron, zinc, copper, molybdenum, chlorine and manganese. It is usually safe to assume that organically derived fertilizers, because of their nature, contain some or all of the necessary micronutrients. Potting mixes that have a mineral soil component may also supply sufficient amounts of micronutrients. If you are not using an organic houseplant fertilizer, consider purchasing a chemical fertilizer that does include micronutrients since they are typically not present in soilless potting mixes.

TYPES OF FERTILIZERS

Houseplant fertilizers come in a number of formulations. Some are wettable powders or concentrated liquids that are diluted with water then applied to the potted plant. Time release fertilizers are available as coated pellets or as spikes. A few are sold premixed and applied directly to the potting soil.

The label on a fertilizer container states the guaranteed analysis or grade. These are the three numbers listed on the package (e.g., 8-7-6). They refer to the percentage of nitrogen, available phosphorus and water soluble potassium contained in the fertilizer. Plants require large amounts of these three nutrients, and they are often referred to as primary nutrients or macronutrients. Nitrogen promotes green, leafy growth. Phosphorus encourages flowering and root growth, and potassium is necessary for stem strength and stress tolerance. Secondary nutrients that are required in slightly lesser quantities include calcium, magnesium and sulfur. Ground limestone is sometimes added to potting mixes to supply calcium and magnesium.

The fertilizer label will also state

CHOOSING A FERTILIZER

Which is the best houseplant fertilizer for you to use? This will depend on the types of plants being grown, cultural conditions and your schedule. In general, foliage houseplants thrive on fertilizers high in nitrogen while flowering plants respond best to those with higher phosphorus analysis. There are plenty of specialty houseplant fertilizers out there but do examine their labels. Often the difference is more in the packaging than in the amounts or proportions of nutrients supplied.

Purchase a water-soluble powder or liquid concentrate if plants are to be fertilized on a weekly, biweekly or monthly basis. If there will be long intervals between fertilizer applications, select time release formulations in either pelleted or spike forms.

These can be applied at intervals from 2 to 9 months and will provide houseplants with a steady supply of nutrients.

Frequently, houseplant lovers amass



University of Connecticut

College of Agriculture & Natural Resources
COOPERATIVE EXTENSION SYSTEM

Department of Plant Science

Soil Nutrient Analysis Laboratory

*Soil Nutrient Analysis Laboratory; 6 Sherman Place, Unit 5102, Storrs, CT 06269-5102 • Phone: 860-486-4274
Fax: 860-486-4562 Location: Union Cottage, Depot Campus, Mansfield*

quite a collection of different plant species. Sometimes plants have specific fertility requirements, but usually an all-purpose, balanced fertilizer could be applied to all plants. For example, a fertilizer where the three numbers on the package are equivalent or just about equal, such as a 20-20-20 or a 10-8-7, will be adequate.

WHEN TO FERTILIZE

Houseplants respond to fertilizer during periods of active growth. This is usually from March until October. Reduced light and temperatures throughout the winter months often render a plant inactive. It is generally recommended that plants not be fertilized at this time. The labels on most water-soluble fertilizers recommend monthly applications. Since these nutrients are easily leached from the potting mix, your plants may benefit from more frequent dilute applications. If one teaspoon per quart of water is recommended for monthly feedings, you could feed bimonthly using only one-half a teaspoon per quart or weekly using a quarter teaspoon per quart. This gives the plant a steady, continuous supply of nutrients. This type of regime is often recommended for flowering plants like African violets.

When fertilizing houseplants, always follow the directions on the label. More is not better, and excess nutrients can harm roots and leaves. Always apply fertilizer to an already moist potting soil to avoid root damage.

OVERFERTILIZATION

Browning roots and leaf tips, wilting, poorly shaped leaves and a white crust on pot rims may indicate overfertilization. Excess nutrients in the potting soil will desiccate or burn tender roots. High concentrations of nutrient salts also prevent the plant from taking up water so wilting is observed.

Often, leaching the potted plant with copious amounts of water will reduce excessive fertilizer salt levels. Be sure water can drain freely. Another solution would be to repot the plant, gently removing as much of the old potting mixture as

possible, and replacing it with fresh medium.

Keep houseplants healthy and thriving by practicing good watering practices, meeting their light and temperature requirements and providing adequate nutrition through a regular fertilization program.

The information in this material is for educational purposes. The recommendations contained are based on the best available knowledge at the time of printing. Any reference to commercial products, trade or brand names is for information only, and no endorsement or approval is intended. The Cooperative Extension System does not guarantee or warrant the standard of any product referenced or imply approval of the product to the exclusion of others which also may be available.

All agrochemicals/pesticides listed are registered for suggested uses in accordance with federal and Connecticut state laws and regulations as of the date of printing. If the information does not agree with current labeling, follow the label instructions. The label is the law.

WARNING! Agrochemical/pesticides are dangerous. Read and follow all directions and safety precautions on labels. Carefully handle and store agrochemical/pesticides in originally labeled containers out of reach of children, pets and livestock. Dispose of empty containers immediately in a safe manner and place. Contact the Connecticut Department of Environmental Protection for current regulations.

The user of this information assumes all risks for personal injury or property damage.

Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Gregory J. Weidemann, Director, Cooperative Extension System, University of Connecticut, Storrs. The Connecticut Cooperative Extension System is an equal opportunity employer and program provider. To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, Stop Code 9410, 1400 Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964.

Soil Nutrient Analysis Laboratory

*Soil Nutrient Analysis Laboratory; 6 Sherman Place, Unit 5102, Storrs, CT 06269-5102 • Phone: 860-486-4274
Fax: 860-486-4562 Location: Union Cottage, Depot Campus, Mansfield*